



WHEN YOU NEED TO BE SURE

СОРИЛТЫН ҮР ДҮНГИЙН ХУУДАС



Лаб. дугаар: UC005014-2
 Захиалгын дугаар: ER-24014
 Захиалагч: "Энержи Ресурс" ХХК
 Дээжийн төрөл: Нүүрс
 Дээжийн жин: 1.24кг

Хүлээн авсан огноо: 06.29.2024
 Эхэлсэн огноо: 06.30.2024
 Тайлангийн огноо: 07.01.2024
 Дээжийн тоо: 1
 Хуудасны тоо: 1/1

Д/д	Дээжийн нэр	Сорилтын үзүүлэлт	Нийт чийг	Үлдэгдэл чийг	Үнслэг	Дэгдэмхий бодис	Нийт хүхэр	Нийт илчлэг чанар		Чөлөөт хөөлтийн зэрэг	Барьцалдах чанар
		Тэмдэглэгээ	TM ^{arb}	RM ^{adb}	A ^{db}	VM ^{daf}	TS ^{db}	GCV ^{arb}	GCV ^{db}	FSI	G
		Стандарт арга аргачлал	ASTM D3302	ISO 11722	ISO 1171	ISO 562	ISO 19579	ISO 1928		ISO 501	ISO 15585
		Нэгж	Жин, (%)				Ккал/кг		Индекс		
1	Washed_UHG_MASHCC_240627_1		7.66	0.53	22.75	22.69	0.67	6045	6547	3.5	38

Тайлбар:

Сорилтын үр дүнг ASTM D3180 / ISO 1170 стандартын дагуу тооцоолсон.
 Дээжлэлтийн талаарх асуудлыг манай лаборатори хариуцахгүй.
 Энэхүү сорилтын үр дүн нь лабораторид хүлээн авсан тухайн дээжид хамаарах бөгөөд зөвхөн эх хувь нь хүчинтэй.
 ASTM D2013/2013M-18 стандартын дагуу нүүрсний дээж бэлтгэл хийгдсэн.

TM ^{arb} -	Нийт чийг	VM ^{daf} -	Дэгдэмхий бодисын гарц, хуурай үнсгүй төлөв	GCV ^{db} -	Нийт илчлэг, хуурай төлөв
RM ^{adb} -	Үлдэгдэл чийг	TS ^{db} -	Нийт хүхэр, хуурай төлөв	FSI-	Чөлөөт хөөлтийн зэрэг
A ^{db} -	Үнслэг, хуурай төлөв	GCV ^{arb} -	Нийт илчлэг, чийгтэй төлөв	G-	Барьцалдах чанар

ХЯНАСАН:

Ж. ГАНБАТ, НҮҮРСНИЙ ЛАБОРАТОРИЙН АЖИЛТАН

БАТАЛСАН:

Л. АНХБАЯР, ҮЙЛ АЖИЛЛАГАА ХАРИУЦСАН ЗАХИРАЛ

ЭНЭХҮҮ СОРИЛТЫН ҮР ДҮНГИЙН ХУУДАС НЬ ЗӨВХӨН "ЭНЕРЖИ РЕСУРС" ХХК-ИЙН ЗАХИАЛГАТ АЖИЛД ХАМААРНА

SGS-IMME Mongolia LLC
 Uildveriin toirog 101, 20th khoroo, Bayangol district,
 Ulaanbaatar, Mongolia 17060
 t +976 7014 4415 f +976 7017 8599

Member of the SGS Group

SGS IMME Mongolia LLC

MRN: 5616077

Energy Resource LLC

TTD: 2887746
Central Tower, 15th Floor, Suite 7, Sukhbaatar Square 2
Sukhbaatar District,-8
Mongolia

LabRef: UC005014

ClientRef **ER-24014**

Project Coal

Sampletype

Status Final

Received 6/29/24

Started 7/1/24

Reported 7/2/24

Samples 1

FirstSample Washed_UHG_MASHCC_240627_1

LastSample

Pages 7

Result apply to sample as submitted.

Notes

Authorised by



On behalf of:

Ankhbayar Luvsansharav
Operations Director

Email: luv.ankhbayar@sgs.com

Website: www.sgs.com

www.coal.sgs.com

SGS-IMME **Mongolia LLC** is accredited by **MAS** and conforms to the requirements of ISO/IEC 17025 the laboratory performing are accredited to ISO 9001:2008. The sample was not drawn by the laboratory and this report is not used for L/C negotiation. The test report would be invalid without signatures of the persons for approval. The test report would be invalid if altered and test would be invalid if reproduced, except in full, without written approval of the Company. Different opinions about test report should be reported to us within 15 days from the date of receiving the test report. This document is issued by the Company under its General Conditions of Services accessible at <http://www.sgs.com/en/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defines therein. Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a translation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
 20th Khoroo
 Bayangol Duureg
 Ulaanbaatar 36, Mongolia

LabRef UC005014
ClientRef **ER-24014**
Project COAL
Reported 02/07/24
Status Final
Page Page 2 of 7

ANALYTICAL REPORT

Scheme	ASTM3302	ASTM3302	ISO11722:2013	ISO 1171:2010	ISO 1171:2010	ISO 1171:2010
Units	%	%	%	%	%	%
Detection Limit	0.1	0.1	0.1	0.5	0.5	0.5
Upper Limit	50	50	50	99	99	99
	Moisture, Total	Air Dry Loss	RM_ADB	Ash, ARB	Ash, ADB	Ash, DB
Washed_UHG_MASHCC_ 240627_	7.66	7.17	0.53	21.01	22.63	22.75



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
20th Khoroo
Bayangol Duureg
Ulaanbaatar 36, Mongolia

LabRef UC005014
ClientRef **ER-24014**
Project COAL
Reported 02/07/24
Status Final
Page Page 3 of 7

ANALYTICAL REPORT

Scheme	ISO562:2010	ISO562:2010	ISO562:2010	ISO562:2010	ISO 1213-2:2016	ISO 1213-2:2016
Units	AR %	AD %	DB %	DAF %	%	%
Detection Limit	0.1	0.1	0.1	0.1	0.01	0.01
Upper Limit	75	75	75	75	100	100
	VM_ARB	VM_ADB	VM_DB	VM_DAF	FC_ARB	FC_ADB
Washed_UHG_MASHCC_ 240627_	16.18	17.43	17.53	22.69	55.15	59.41



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
20th Khoroo
Bayangol Duureg
Ulaanbaatar 36, Mongolia

LabRef UC005014
ClientRef **ER-24014**
Project COAL
Reported 02/07/24
Status Final
Page Page 4 of 7

ANALYTICAL REPORT

Scheme	ISO 1213-2:2016	ISO 1213-2:2016	ISO19579:2006	ISO19579:2006	ISO19579:2006	ISO19579:2006
Units	%	%	AR %	AD %	DB %	DAF %
Detection Limit	0.01	0.01	0.01	0.01	0.01	0.01
Upper Limit	100	100	5.21	5.21	5.21	20
	FC_DB	FC_DAF	SuI_ARB	SuI_ADB	SuI_DB	SuI_DAF
Washed_UHG_MASHCC_ 240627_	59.72	77.31	0.62	0.67	0.67	0.87

- notanalysed | -- elementnotdetermined | I.S. insufficientsample | L.N.R. listednotreceived

Results are not intended for commercial settlement purposes.



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
 20th Khoroo
 Bayangol Duureg
 Ulaanbaatar 36, Mongolia

LabRef UC005014
 ClientRef **ER-24014**
 Project COAL
 Reported 02/07/24
 Status Final
 Page Page 5 of 7

ANALYTICAL REPORT

Scheme	MNS ISO1928:2020	MNS ISO1928:2020	MNS ISO1928:2020	MNS ISO1928:2020	ISO 501:2012	ISO 15585:2019
Units	KCAL/KG	KCAL/KG	KCAL/KG	KCAL/KG	/	/
Detection Limit	0	0	0	0	0	1
Upper Limit	10,000	10,000	10,000	10,000	9	110
	GCV_ARB	GCV_ADB	GCV_DB	GCV_DAF	CSN	G
Washed_UHG_MASHCC_ 240627_	6045	6512	6547	8475	3.5	38



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
20th Khoroo
Bayangol Duureg
Ulaanbaatar 36, Mongolia

LabRef UC005014
ClientRef **ER-24014**
Project COAL
Reported 02/07/24
Status Final
Page Page 6 of 7

ANALYTICAL REPORT

Scheme	AS 1038.21.1.2-2002
Units	G/CM3
Detection Limit	1
Upper Limit	3 RD
Washed_UHG_MASHCC_ 240627_	1.49



UC005014

SGS IMME Mongolia LLC

Uildveriin toirog 101 toot
20th Khoroo
Bayangol Duureg
Ulaanbaatar 36, Mongolia

LabRef UC005014
ClientRef **ER-24014**
Project COAL
Reported 02/07/24
Status Final
Page Page 7 of 7

Description

ASTM2013 : Standard Practice for Preparing Coal Samples for Analysis

ISO11722 : Determination of moisture in the general analysis test sample by drying nitrogen

ASTM3302 : Moisture, Air-Dry Loss

ISO 1171 : Solid mineral fuels-Determination of ash

ISO501 : Hard coal-Determination of the crucible swelling number

ISO 1213-2 : Fixed Carbon (by calculation)

ISO 15585 : Hard coal-Determination of Caking index

AS 1038.21 : Relative Density - Analysis sample/volumetric method

ISO19579 : Solid mineral fuels-Determination of sulfur by IR spectrometry

ASTM3302 : Standard Test Method for Total Moisture in Coal

ISO562 : Hard coal and coke-Determination of volatile matter

ISO1928 : Coal and coke — Determination of gross calorific value

***** THE END *****